


# ALUMINUM ELECTROLYTIC CAPACITORS

## \* DIMENSIONS



		(mm)						
*D		5	6.3	8	10	13	16	18
*d		0.5		0.6			0.8	
F		2.0	2.5	3.5	5.0		7.5	
*		WV*100:1.5 WV*160:2.0						2.0

## \* STANDARD SIZE MAX. PERMISSIBLE RIPPLE CURRENT

Size\* $D \times L$  (mm) Ripple Current(mA r.m.s./105\*, 120Hz)

WV(V.DC) Cap(*F)	160		200		250		350		400		450	
	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple
0.47					6.3 x 11	9	6.3 x 11	11				
1					6.3 x 11	13	6.3 x 11	16	6.3 x 11	15	6.3 x 11 (8 x 11.5)	15 (15)
2.2					6.3 x 11	23	6.3 x 11 (8 x 11.5)	25 (25)	8 x 11.5 (10 x 12.5)	29 (29)	10 x 12.5	25
3.3			6.3 x 11	26	6.3 x 11 (8 x 11.5)	35 (35)	8 x 11.5 (10 x 12.5)	40 (40)	10 x 12.5	40	10 x 12.5 (10 x 16)	33 (33)
4.7	6.3 x 11	35	6.3 x 11 (8 x 11.5)	40 (40)	8 x 11.5	40	10 x 12.5	12.5	10 x 16	52	10 x 16 (10 x 20)	42 (42)
10	8 x 11.5	60	10 x 12.5	70	10 x 12.5 (10 x 16)	75 (75)	10 x 20	80	10 x 16 (13 x 20)	85 (85)	13 x 20	67
22	10 x 16	110	10 x 20	125	10 x 20 (13 x 20)	130 (130)	13 x 20 (13 x 25)	135 (135)	13 x 20 (13 x 25)	140 (140)	16 x 25	115
33	10 x 20	145	10 x 20 (13 x 20)	165 (165)	13 x 20	170	16 x 25	195	13 x 25 (16 x 25)	200 (200)	16 x 31.5	155
47	10 x 20 (13 x 20)	195 (195)	13 x 20	200	13 x 25	220	16 x 25 (16 x 31.5)	230 (230)	16 x 25 (16 x 31.5)	250 (250)	16 x 35.5	185
56	13 x 20	211	13 x 20	223	13 x 25	244	16 x 31.5	255	16 x 31.5	282	16 x 35.5	205
68	13 x 20	233	13 x 25	253	16 x 25	275	16 x 31.5	288	18 x 31.5	325	18 x 31.5	230
82	13 x 25	258	16 x 25	290	16 x 25	312	18 x 31.5	325	18 x 31.5	375	18 x 35.5	260
100	13 x 25	290	16 x 25	335	16 x 31.5	360	18 x 31.5 (18 x 35.5)	375 (375)	18 x 31.5 (18 x 35.5)	440 (440)	18 x 35.5	300
120	16 x 25	330	16 x 31.5	385	18 x 31.5	415	18 x 35.5	430	18 x 35.5	510		
220	16 x 31.5 (16 x 35.5)	540 (540)	16 x 35.5 (18 x 35.5)	580 (580)								
330	18 x 35.5	700	18 x 35.5	785								

18 x 31.5 is available for marked\*when specified.